

INDEX TO VOLUME 115

New scientific names are in bold face

Ailanthus altissima (Simaroubaceae). Albinism found in clonal growth of, 197–200

Alaska 61–95

Albinism found in clonal growth of *Ailanthus altissima* (Simaroubaceae). 197–200 (New England Note)

Aleutian Range 61–95

All-terrain vehicles 158–169

Alpine 61–95

Amerina 170–190

Amerix 170–190

Anderson, Gregory J. 121–132

Arctic 61–95

Argorips 170–190

Asian 28–41

Asteraceae 281–285

ATV tracks and density of a rare plant (*Drosera filiformis*) in a Nova Scotia bog. Correlation between, 158–169

Bailey, Scott W. Two fern species new to New Hampshire, with comments on the generation of calcareous-like habitat by base-poor rocks. 286–289 (New England Note)

Barberry 121–132

Barrington, David S. and Sonja A. Schmitz. Quaternary divergence and Holocene secondary contact via the Northwest Passage in the circumpolar *Lathyrus japonicus* (Leguminosae). 133–157

Berberidaceae 121–132

Berberis × ottawensis 121–132; map of locations within Connecticut and Massachusetts 129

Berberis thunbergii, *B. vulgaris* 121–132

Biggina 170–190

Biogeography 61–95, 133–157

Bogs 158–169

Bowles, Beth D. 112–114

Bowles, David E. and Beth D. Bowles. Evidence of overwintering in water hyacinth, *Eichhornia crassipes* (Pontederiaceae) in southwestern Missouri, USA. 112–114 (The Botanists' Corner)

Brach, Anthony R. Albinism found in clonal growth of *Ailanthus altissima* (Simaroubaceae). 197–200 (New England Note)

Brand, Mark H. 121–132

Brumback, William E. and Jessica Gerke. Flora Conservanda: New England 2012. The New England Plant Conservation Program (NEP-CoP) List of Plants in Need of Conservation. 313–408; list 322–390; index to scientific names 396–408

Burk, C. John and John S. Burk. *Heterotheca subaxillaris* var. *latifolia* (Asteraceae), a Massachusetts record established in a Cape Cod heathland. 281–285 (New England Note)

Burk, John S. 281–285

Calcareous-like habitat by base-poor rocks, comments on the generation of 286–289

Cape Cod heathland, *Heterotheca subaxillaris* var. *latifolia* 281–285

Carlson, Matthew L., Rob Lipkin, Carl Roland, and Amy E. Miller. New and important vascular plant collections from south-central and southwestern Alaska: A region of floristic convergence. 61–95; species occurrence maps 68–75; annotated list of rare taxa and range extensions 82–95

Carvalho, Mónica R. 170–190

Cassiope 221–249

Chalebus 170–190

Circumboreal distribution 221-249

Cleistogamy and hybridization in two subspecies of *Triodanis perfoliata* (Campanulaceae). 42-60

Cleistogamy, *Triodanis* 42-60

Coastal salt pond marsh system 1-27

Collections from south-central and southwestern Alaska: A region of floristic convergence. New and important vascular plant, 61-95; species occurrence maps 68-75; rare taxa and range extensions 82-95

Connecticut flora 313-408

Connolly, Bryan A., Gregory J. Anderson, and Mark H. Brand. Occurrence and fertility of feral hybrid barberry *Berberis × ottawensis* (Berberidaceae) in Connecticut and Massachusetts. 121-132; locations map 129

Conservation 313-408

Correlation between ATV tracks and density of a rare plant (*Drosera filiformis*) in a Nova Scotia bog. 158-169

Cusick, Allison W. *Poa bulbosa* subsp. *bulbosa* (Poaceae) in North America: An update. 293-295 (The Botanists' Corner)

Diamarips 170-190

Diplima 170-190

Diplopia 170-190

Diphusione 170-190

Disturbance 158-169

Disynia 170-190

Drosera filiformis 158-169

Dryopteris filix-mas, new record in New Hampshire 286-289

Eichhornia crassipes 112-114

Electromagnetic induction 1-27

Endangered species 313-408

Endemic 61-95

Ericaceae 221-249

Evidence of overwintering in water hyacinth, *Eichhornia crassipes* (Pontederiaceae) in southwestern Missouri, USA. 112-114 (The Botanists' Corner)

Expansion 28-41

Fern species new to New Hampshire, with comments on the generation of calcareous-like habitat by base-poor rocks. Two, 286-289 (New England Note)

Flora. An update on the Middlesex Fells, 191-196

Flora Conservanda: New England 2012. The New England Plant Conservation Program (NEPCoP) List of Plants in Need of Conservation. 313-408; list 322-390; index to scientific names 396-408

Florida 250-280

Floristics of Silver River State Park, Marion County, Florida. 250-280; list of species 263-280

Gentianaceae 96-111

Gerke, Jessica 313-408

Gillespie, Emily L. and Kathleen A. Kron. Molecular phylogenetic analysis of the circumboreal genus *Cassiope* (Ericaceae) reveals trends in some morphological and wood anatomy characters and likely reticulate evolution. 221-249

Globally rare coastal salt pond marsh system at Odiorne Point State Park, Rye, New Hampshire. A, 1-27

Globally rare taxa, New England flora 313-408

Goodwillie, Carol and Emily Stewart. Cleistogamy and hybridization in two subspecies of *Triodanis perfoliata* (Campanulaceae). 42-60

Gracilaria tikvahiae; *G. vermiculophylla* 28-41

Gracilaria vermiculophylla (Rhodophyta, Gracilariales) to New England, USA: Estimated arrival times and current distribution. Introduction of, 28-41

Gunner, Simon T. 170-190

Gyrantra 96–111

Hamlin, Bryan T. and Walter T. Kittredge. An update on the Middlesex Fells flora. 191–196 (New England Note)

Heterotheca subaxillaris var. *latifolia* (Asteraceae), a Massachusetts record established in a Cape Cod heathland. 281–285 (New England Note)

Himalayas 221–249

Historic taxa, New England flora 313–408

Historical biogeography 221–249

Holocene 133–157

Holocene secondary contact via the Northwest Passage in the circum-polar *Lathyrus japonicus* (Leguminosae). Quaternary divergence and, 133–157

Hubbard, Jeffery R. and Walter S. Judd. Floristics of Silver River State Park, Marion County, Florida. 250–280

Hybrid distribution 121–132

Hybrid fertility 121–132

Hybridization 221–249

Hybridization, *Triodanis* 42–60

Hydrology and salinity gradients 1–27

Illinois, new record, *Poa bulbosa* subsp. *bulbosa* 293–295

Introduction of *Gracilaria vermiculophylla* (Rhodophyta, Gracilariales) to New England, USA: Estimated arrival times and current distribution. 28–41

Introduction of species 28–41

Invasive plants: *Berberis* × *ottawensis* 121–132; *Gracilaria vermiculophylla* 28–41

Isozymes 133–157

Judd, Walter S. 250–280

Kittredge, Walter T. 191–196

Kron, Kathleen A. 221–249

Lathyrus japonicus 133–157

Lectotypification 170–190

Leguminosae 133–157

Lim, Gwynne S., Mónica R. Carvalho, Stephanie M. Stuber, Simon T. Gunner, and James L. Reveal. A reconsideration of the typification of Rafinesque generic names allied to *Salix* L. 170–190

Lipkin, Rob 61–95

Locally rare taxa, New England flora 313–408

Lomatogonium 96–111; distribution map of varieties in North America 105

Marion County, Florida, floristics 250–280

Marsh, salt pond 1–27

Massachusetts flora 191–196, 313–408

Massachusetts record, *Heterotheca subaxillaris* var. *latifolia* 281–285

Mathieson, Arthur C. 28–41

Melanix 170–190

Mesohyaline 1–27

Middlesex Fells flora. An update on the, 191–196

Miller, Amy E. 61–95

Missouri, USA 112–114

Molecular confirmations, *Gracilaria* 28–41

Molecular markers 221–249

Molecular phylogenetic analysis of the circumboreal genus *Cassiope* (Ericaceae) reveals trends in some morphological and wood anatomy characters and likely reticulate evolution. 221–249

Molecular phylogeny 221–249

Moore, Gregg E. 1–27

National Parks 61–95

Natural communities 1–27

ndhF-trnH 133–157

NEBC Meeting News 116–118, 208–218, 306–309

Nectolis 170–190

Nectopix 170–190

Nectusia 170-190
Neefus, Christopher D. 28-41
 Neotypification 170-190
 NEPCoP (New England Plant Conservation Program) 313-408
Nestylis 170-190
 Nettleton, Jeremy C., Arthur C. Mathieson, Carol Thornber, Christopher D. Neefus, and Charles Yarish. Introduction of *Gracilaria vermiculophylla* (Rhodophyta, Gracilariales) to New England, USA: Estimated arrival times and current distribution. 28-41
 New and important vascular plant collections from south-central and southwestern Alaska: A region of floristic convergence. 61-95; species occurrence maps 68-75; rare taxa and range extensions 82-95
 New Books 115, 206, 305
 New England flora 313-408
 New England, 28-41
 New Hampshire, coastal salt pond marsh 1-27
 New Hampshire flora 313-408
 New Hampshire records, *Pellaea atropurpurea* and *Dryopteris filix-mas* 286-289
 New record, *Heterotheca subaxillaris* var. *latifolia* in Massachusetts 281-285
 New records, *Pellaea atropurpurea* and *Dryopteris filix-mas* in New Hampshire 286-289
 New records, *Poa bulbosa* subsp. *bulbosa*, in Ohio (counties), Illinois (state), and Pennsylvania (state) 293-295
 Nichols, William F., Gregg E. Moore, Nur P. Ritter, and Chris R. Peter. A globally rare coastal salt pond marsh system at Odiorne Point State Park, Rye, New Hampshire. 1-27
 Nomenclatural innovations in North American *Physalis* (Solanaceae). 290-292 (Note)
 Nomenclature 96-111, 170-190
 Non-native plants 1-27
 North America 221-249
 Nova Scotia 158-169
 Occurrence and fertility of feral hybrid barberry *Berberis × ottawensis* (Berberidaceae) in Connecticut and Massachusetts. 121-132
 Odiorne Point State Park, Rye, New Hampshire. A globally rare coastal salt pond marsh system at, 1-27
 Ohio, new county records, *Poa bulbosa* subsp. *bulbosa* 293-295
Oisodix 170-190
 Oligohaline 1-27
Opodix 170-190
 Overwintering in water hyacinth, *Eichhornia crassipes* (Pontederiaceae) in southwestern Missouri, USA. Evidence of, 112-114 (The Botanists' Corner)
Pellaea atropurpurea, new record in New Hampshire 286-289
 Pennsylvania, new record, *Poa bulbosa* subsp. *bulbosa* 293-295
 Peter, Chris R. 1-27
Physalis ×elliottii Kunze, a new hybrid; *Physalis ×elliottii* var. *glabra* (Waterf.) J.R. Sullivan, *comb. nov.* 290-292
Physalis longifolia Nutt. var. *texana* (Rydb.) J.R. Sullivan, *comb. nov.* 290-292
Physalis pumila Nutt. var. *hispida* (Waterf.) J.R. Sullivan, *stat. nov.* 290-292
 Plants 313-408
 Plants in need of conservation, New England 313-408
Pleiarina 170-190
Poa bulbosa subsp. *bulbosa* (Poaceae) in North America: An update. 293-295 (The Botanists' Corner)
 Pontederiaceae 112-114
 Presumed rare taxa (IND.), New England flora 313-408

Pringle, James S. Nomenclatural notes on North American *Gyrandra* (*Centaurium* s. lat.) and *Lomatogonium* (Gentianaceae). 96–111

Psatheris 170–190

Quaternary divergence and Holocene secondary contact via the Northwest Passage in the circumpolar *Lathyrus japonicus* (Leguminosae). 133–157

Raney, Shanel 158–169

Range extension 61–95

Rare coastal salt pond marsh system at Odiorne Point State Park, Rye, New Hampshire. A globally, 1–27

Rare plant taxa 1–27, 61–95, 158–169, 313–408

Reconsideration of the typification of Rafinesque generic names allied to *Salix* L. A. 170–190

Refugia 133–157

Regional conservation list 313–408

Regionally rare taxa, New England flora 313–408

Relict flora 61–95

Reproductive isolation 42–60

Reticulate evolution 221–249

Reveal, James L. 170–190

Rhode Island flora 313–408

Ripselaxis 170–190

Ripsocotis 170–190

Ritter, Nur P. 1–27

Roland, Carl 61–95

Salt pond marsh system at Odiorne Point State Park, Rye, New Hampshire. A globally rare coastal, 1–27

Schmitz, Sonja A. 133–157

Silver River State Park, Florida, floristics 250–280

Simaroubaceae 197–200

Sokolofia 170–190

Solanaceae 290–292

Statement of ownership 119, 414

Stewart, Emily 42–60

Stuber, Stephanie M. 170–190

Sullivan, Janet R. Nomenclatural innovations in North American *Phy-salis* (Solanaceae). 290–292 (Note)

Surface and pore water salinity 1–27

Taylor, Barry R. and Shanel Raney. Correlation between ATV tracks and density of a rare plant (*Drosera filiformis*) in a Nova Scotia bog. 158–169

Telesmia 170–190

Thornber, Carol 28–41

Triodanis; *T. perfoliata* subsp. *biflora*; subsp. *perfoliata* 42–60

Typha angustifolia 1–27

Typification of Rafinesque generic names allied to *Salix* L. A reconsideration of the, 170–190

Update on the Middlesex Fells flora. An, 191–196 (New England Note)

Urnectis 170–190

Usonis 170–190

Vascular flora 1–27

Vermont flora 313–408

Vetrix 170–190

Vimen 170–190

Water hyacinth 112–114

Wheat rust 121–132

Yarish, Charles 28–41